

Micromedex®

Quick Reference Guide

The Industry Standard for Drug, Disease, Lab, Pediatric, and Toxicology Evidence-Based Information

Micromedex solutions homepage

- 1. The most frequently used tools are shown on the Toolbar. It is always displayed, and you can select Home at any time to return to the homepage.
- 2. There are options to search by All, Drug, Disease, or Toxicology content. Intelligent search provides suggestions for spelling errors and direct access to Dosing, Adverse Effects, Indications, Interactions, and focused searches for Drugs that treat, and Drugs that cause.
- 3. Micromedex Assistant allows you to search by asking natural language questions.
- 4. Quick and easy access to Download Mobile Apps.
- 5. Drug Consults provide an additional evidence-based reference for clinicians, while keeping the clinician in the workflow.



y | Training Center | Help | Mobile Application Access | Log

Merative Micromedex

Merative Micromedex

Keyword searc



Micromedex Assistant Searching

- 1. Ask a question e.g. "Dose of rivaroxaban for dvt".
- 2. Get the answer. Ask another.

Sample questions the Micromedex Assistant can answer:

- Can I crush Ditropan?
- "Dialyzability of [drug]", which will provide the pharmacokinetics for the specified drug, or "Dialyzable", which will prompt you for a drug name
- Is [Drug] compatible with D5W
- Can I push Ancef



My Subscription | Gateway | Training Center | Help | Mobile Application Access | Logou

Searching landing page

- 1. Drug Classes links and Routes summary are always displayed.
- 2. Quick Answers, In-Depth Answers, and All Results are provided.
- 3. Active headings provide direct access to specific sections of content.
- 4. Additional search bar to facilitate searching when away from the Home page.
- 5. Direct access to Salt/Base drug formulations when available.
- 6. Access to Related Results within core content sets and other data sources will be returned in-context with the search term.

		My Subscription Gateway	Training Center H	elp Mobile Application Access Logo		
Merative Micromede	<°	Keyword search		٩		
Drug Home Interactions	IV Compatibility Drug ID Compa	arison CareNotes	NeoFax [®] / Pediatrics	Other Tools 🔻		
Prednisone						
Drug Classes: Adrenal Glucoco	icoid Corticosteroid All					
Routes: Oral				5 Regulatory Authority		
Quick Answers	-Depth Answers All Results			FDA v		
Dosing/Administration Adult Dosing Pediatric Dosing FDA Uses Non-FDA Uses Dose Adjustments Administration Comparative Efficacy Place In Therapy Medication Safety ContraIndications	Dosing/Administration Adult Dosing See 'In-Depth Answers' for detailed res Important Note This drug has one or more orphan or withdrawal of status: Access of General Dosage Information patients receiving predniSONE in methyPREDNISolone may be as equivalent dose based on relative metodisVote 5 mg delayed-release metodisONE 5 mg delayed-release metodisONE 5 mg delayed-release	Print and rug designations, which m tation for FDA Orphan Drug umediate-release, prednisol, inched to predniSONE delay potency [4] te tables are equivalent to b te tables are equivalent to b te tables are equivalent to b	Related Results Alternative Medicine Disease Toxicology Consumer Drug Information Drug Consults Index Nominum Martindale Product Lookup - Martindale Product Lookup - Tox & Drug			
Precautions Adverse Effects	mg, cortisone zo mg, dexametnasone u.r.o mg, nyerocortisone 20 mg, methyPREDNISolone v mg, paramethasone 2 mg, prednisoLONE 5 mg, predniSONE 5 mg, and triamcinolone 4 mg [4]					
Black Box Warning REMS	Adrenal insufficiency 5 to 60 mg/day OBALLY initially	varv dose depending on pati	ent response [4] [5]			
		any acce acpanding on put				

In-Depth answers and all results

- 1. Navigate between Quick Answers and In-Depth Answers using the hyperlink to remain in same section being viewed.
- 2. Access to choose sections of the monograph to print.
- 3. Easy access to Expand or Collapse to customize viewing area.
- 4. All Results include Related Results and Filter by subject.

Merative Micromedex ®			Gentamicin Sulfate			Q
Drug Home Interactions	IV Compatibility	Drug ID	Drug Comparison	CareNotes	NeoFax [®] / Pediatrics	Other Tools 🔻
Gentamicin Sulf Drug Classes: Aminoglycoside / Routes: Injection Intravenous	ate Intibacterial All Ophthalmic Topi	cal				Regulatory Authority
Quick Answers In-	Depth Answers	All Results				FDA Y
Dosing/Administration Aduit Dosing Pediatric Dosing FDA Uses Non-FDA Uses Dose Adjustments Administration Comparative Efficacy Place In Therapy Medication Safety	Dosing/A Adult Dos See 'In-Dept' Important I obtain I obt	Administration ing with a second second in Answers' for det Note the patient's pretru- unless the patient to determine dos ended dosage for cin(R) intrathecal j. g has one or mor rawal of status: A	ailed results. aatment body we is obese. Use a ge. Short-term r IV or IM admini injection by Sch e orphan drug di cccess citation for	Print 2 ght for calculation n estimate of lean ise is recommend- itration is identical ring Corporation v signations, which i FDA Orphan Drug	of the appropriate body mass in obe ad when possible. [2] [3]. vas discontinued i information [5].	Related Results 4 Disease Toxicology Consumer Drug Information Drug Consults Index Nominum Martindale Product Lookup - Martindale Product Vival

Full document searching

From drug monograph: In-Depth Answers, choose View Full Document

- 1. Enter a search term to identify and navigate to all instances of the term.
- 2. The active term is highlighted orange to identify where you are in the document; next and previous terms are highlighted yellow.
- 3. Navigate to specific sections within full document.



Precations AC concomisant Use: Avoid use of probenecid, valproic acid, or divalproex sodium [42] B) Dematologic: Severe culaneous adverse neactors, including Stevens-Johnson syndrome, toxic epidermal necrolysis, drug reaction with eosinophila and systemic symptoms, erythema multiforme, and acute generalized exanthematous pusuluois have been reported; if signs and symptoms appear, immediately withdraw therapy and consider an alternative [43] C) Elderty. Monitoring and does adjustments recommended [42] D) Gastrointestinai: Clostifium difficile-associated diarthea, including mild diarthea (2) colitis, has been reported; discontinue if suspected or confirmed [42] E) Immunologic: Appenensitivity reactions, including mild diarthea (2) colitis, has been reported; discontinue if suspected or confirmed [42] E) Immunologic: Severe and other colors, including mathytaxis, han been reported; discontinue if suspected or confirmed [42] F) Neurologic: Severes and other CNS adverse diffects have been reported; neatisting in patients with prexisting CNS disorders such as brain lesions and history of seizures. concomitant medications with seizure potential. bacterial meninatis. or comoromised renal function: closely follow recommended dosages and continue

Patient education

Patient Education has two sections.

- 1. Medication Counseling contains information for the healthcare professional to assist in patient counseling.
- 2. Patient Handouts features consumer drug information that may be printed for the patient.



Drug Interaction searching

- 1. From the Toolbar, select the Drug Interactions tab.
- 2. Type the drug name (brand or generic) in the Search field.
- 3. Select the drug and click and **Add** (right arrow) button, or remove the drug by clicking the **Remove** (left arrow) button.
- 4. Add Allergies, if known.
- 5. Once all drugs are added, click the **Submit** button at the bottom right of the screen.



pano	
latching drug names: (11)	Drugs to check: 4 Add Allergies
Panto-250	
Panton	
Pantoprazole	
Pantoprazole Sodium	
Pantoprazole Sodium AvPak	
antoprazole Sodium Novaplus	>
Pantothenic Acid	
Pantothenic Acid (Calcium Pantothenate	
Pantothenic Acid (Calcium/Pantothenic	
antothenic Acid B5	
Pantothenic-250	
_	
3	
•	Capitalized item with asterisk (*) indicates allergy.

IV Compatibility searching

- 1. From the Toolbar, select the IV Compatibility tab.
- 2. Type the drug name (brand or generic) in the **Drugs Search** field and choose the drug. Repeat the process to add additional drugs.
- 3. Type the solution name in the **Solutions Search** field (optional) and choose the solution.
- 4. Choose View Compatibility to view compatibility results.



FDA and Non-FDA Uses (On-Of-label Indications and Dosing)

- 1. From the section headings, access FDA Uses or Non-FDA Uses.
- 2. Non-FDA Uses reviews the indications and associated Strength of Recommendation and Strength of Evidence in Quick Answers.
- 3. If dosing is required, select **Adult** or **Pediatric Dosing** and review **Quick Answers**.
- If off-label dosing is not listed in Quick Answers, select In-Depth Answers. Then click on the desired indication to review dose recommendation.
- 5. Availability of off-label dosing is evidence based; not all offlabel indications will have a dosing recommendation.



About Merative

Merative provides data and software for healthcare and government social services. With focused innovation and deep expertise, Merative works with providers, employers, health plans, governments, and life science companies to drive real progress. Merative helps clients orient information and insights around the people they serve to improve decision-making and performance. Merative, formerly IBM Watson Health, became a new standalone company as part of Francisco Partners in 2022. Learn more at merative.com.

© Copyright Merative US L.P. 2023 Merative 100 Phoenix Drive Ann Arbor, Michigan 48108

Produced in the United States of America December 2023

Merative, the Merative logo and Micromedex are trademarks of Merative in the United States, other countries or both. All other company or product names are registered trademarks or trademarks of their respective companies.

This document is current as of the initial date of publication and may be changed by Merative at any time. Not all offerings are available in every country in which Merative operates.

The information in this document is provided "as is" without any warranty, express or implied, including without any warranties of merchantability, fitness for a particular purpose and any warranty or condition of non-infringement. Merative products are warranted according to the terms and conditions of the agreements under which they are provided.

The client is responsible for ensuring compliance with all applicable laws and regulations applicable to it. Merative does not provide legal advice or represent or warrant that its services or products will ensure that the client is in compliance with any law or regulation. The performance data and client examples cited are presented for illustrative purposes only. Actual performance results may vary depending on the specific configurations and operating conditions. It is the user's responsibility to evaluate and verify the operation of any other products or programs with Merative product and programs.

Statement of Good Security Practices: IT system security involves protecting systems and information through prevention, detection and response to improper access from within and outside your enterprise. Improper access from within and outside your enterprise. Improper access can result in information being altered, destroyed, misappropriated or misused or can result in damage to or misuse of your systems, including for use in attacks on others. No IT system or product should be considered completely secure and no single product, service or security measure can be completely effective in preventing improper use or access. Merative systems, products and services are designed to be part of a lawful, comprehensive security approach, which will necessarily involve additional operational procedures, and may require other systems, products or services to be most effective. Merative does not warrant that any systems, product or services are immune from, or will make your enterprise immune from, the malicious or illegal conduct of any party.

